# KILLS RATS & MICE

## EACH BLOCK KILLS UP TO 3 RATS

BAIT BLOCKS & ONE REFILLABLE BAIT STATION







This Bait Station is Resistant to Weather and to Tampering by Children and Dogs For Use Indoors and Outdoors.

- Station is Child & Dog Resistant
- Can Be Used **Indoors or Out**
- 1 Refillable **Bait Station**
- Includes 15 **Bait Refills**

\*Based on no-choice laboratory testing



## **CAN BE USED IN A VARIETY OF LOCATIONS**





BEHIND APPLIANCES

INSIDE CABINETS





GARAGES

BASEMENTS





EXTERIOR OF HOMES

Must adhere to the USE RESTRICTIONS in the DIRECTIONS FOR USE section of this label.

## SEE-THRU WINDOW FOR **EASY BAIT MONITORING**



NET WT. 15 x 30 g (450 g) Bait Blocks

& 1 Refillable Bait Station

**KEEP OUT OF REACH OF CHILDREN** CAUTION

> See back panels for First Aid and additional precautionary statements. EPA REG. NO. 12455-140-3240 EPA EST. NO. 12455-WI-1

**ACTIVE INGREDIENT:** 

Bromethalin (CAS #63333-35-7): 0.01% 99.99% OTHER INGREDIENTS: 100.00%

†Contains Denatonium Benzoate

**KILLS RATS & MICE** 



#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests and application methods described on this label.

## **USE RESTRICTIONS:**

This bait station may be used in areas accessible to children and pets, consistent with all use restrictions and other requirements indicated on this label. Do not apply further than 50 feet from a home or building.

For control only of Norway rats, roof rats, and house mice. This bait station can only be refilled with the bait blocks sold with this station. TOMCAT RAT KILLER II must be used in and around buildings consistent with all use restrictions and other requirements indicated on this label. Do not place this bait station or stored bait blocks in any area where there is a possibility of contaminating food or surfaces that come into direct contact with food. Store bait block refills out of reach of children and pets.

**SELECTION OF TREATMENT AREAS:** Determine areas where rats and/or house mice will most likely find and consume the bait. Generally, these areas are beside burrows, along walls, by gnawed openings, in corners

## APPLICATION DIRECTIONS:

While wearing gloves, place 1 or 2 blocks of bait in the bait station. Replace each block as necessary. See additional GRAPHICS AND TEXT. Place the bait station at highest point of activity beside burrows, along a wall or in corners where rats and/or mice or their signs have been seen. If additional units are purchased, place bait stations at 15 to 30 foot intervals. Maintain a constant supply of fresh bait for 10 days or until signs of rat or mouse activity cease in infested areas. While wearing gloves, replace bait in bait station when bait is consumed or contaminated,

Follow-up: Wearing gloves, collect and properly dispose of any leftover bait or carcasses. To discourage reinfestation, eliminate food, water and harborage as much as possible. If reinfestation does occur, repeat treatment.

## **PRECAUTIONARY STATEMENTS**

**Hazards to Humans and Domestic Animals** 

**CAUTION:** Harmful if swallowed. Keep away from children, domestic animals and pets. Wash thoroughly with soap and water after handling, and before eating, drinking, chewing gum, or using tobacco. Any person who handles bait, refills a station, or retrieves carcasses or unused bait must wear gloves.

#### FIRST AID **HAVE LABEL WITH YOU WHEN OBTAINING TREATMENT ADVICE**

#### IF SWALLOWED:

- Call a poison control center, doctor, or 1-877-854-2494, or 1-800-858-7378\* immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center
- \*\* Also call this number for information on health concerns and pesticide

## TREATMENT FOR PET POISONING

If an animal eats this bait, call a veterinarian at once

## NOTE TO PHYSICIAN OR VETERINARIAN

Contains the nerve poison bromethalin. This product is not an anticoagu lant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

## **ENVIRONMENTAL HAZARDS**

This product is extremely toxic to fish, birds and other wildlife. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply this product directly to water.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or dispo Pesticide Storage: Store only in original container in a cool, dry place

inaccessible to children and pets.

Pesticide Disposal and Container Handling: Nonrefillable Container. Do not reuse or refill this container except as described in the Directions For Use.

If Empty: Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency for disposal instructions, Never place unused product down any indoor or outdoor drain.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.





0 48745 22154 0